

RESIDENTIAL ROOFING




The best formula under one roof.

We start with the highest-quality raw materials and add state-of-the-art technology to monitor our manufacturing process and test our finished products. The result is superior performance from beginning to end.



learn more at: certainteed.com/roofing



MATTERHORN®

Architectural Metal Roofing

Shown in Cedar



CertainTeed Corporation

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE • GYPSUM • CEILINGS • INSULATION

20 Moores Road Malvern, Pa 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

©08/18 CertainTeed Corporation, Printed in the USA, Code No. 20-20-3742





It's More Than Just a Roof

Not only does your roof protect the contents of your home, it also protects you, your family, and your lifestyle. A roof is practical, but there's really nothing practical about the way it looks.

A roof can make an ordinary home extraordinary. Matterhorn® Metal Roofing from CertainTeed gives your home the authentic look, design, and natural detail of real wood shake, quarried slate, and traditional clay tile roofing. It's stronger than steel, and capable of withstanding wind, hail, and fire. It has the strongest warranty in the industry, backed by CertainTeed's 100+ year legacy of performance and innovation. It's sustainable and energy efficient, available in 16 CRRC-rated colors.

**MATTERHORN METAL ROOFING.
MORE THAN JUST A ROOF.**

Shown in Tuscan Stone



Profiles

Tile

We went to great lengths to replicate the charming allure of clay, and the result is a convincing interpretation of real tile forged in steel.

Shake

Expertly designed to capture the character of real wood, Matterhorn® Shake's stylized chiseling creates an appealing texture and dimension.


Slate

Lightweight and durable, Matterhorn Slate's patented paint system captures the timeless, natural beauty of mottled stone.

Shown in Brick Blend



Shown in Weathered Terracotta



Shown in Weathered Sage



Shown in Weathered Terracotta



Shown in Brick Blend



Shown in Weathered Canyon

Matterhorn® Tile



Brick Blend
CRR# 0668-0102



Weathered Canyon
CRR# 0668-0114



Jade
CRR# 0668-0103



Weathered Sage
CRR# 0668-0112



Terracotta
CRR# 0668-0104



Weathered Terracotta
CRR# 0668-0111



Tuscan Stone
CRR# 0668-0105



Weathered Sequoia
CRR# 0668-0106

Shown in Timber Ash



Shown in Timber Ash



Shown in Weathered Wood



SHAKE

Shown in Timber Ash



Shown in Weathered Wood



Matterhorn® Shake



Cedar
CRRC# 0668-0107



Timber Ash
CRRC# 0668-0113



Shorewood
CRRC# 0668-0110



Weathered Wood
CRRC# 0668-0108

Shown in Storm Slate



Shown in Cobalt



Shown in Brownstone



Shown in Storm Slate



Shown in Castle Gray



Shown in Storm Slate



Matterhorn® Slate



Brownstone
CRR# 0668-0109



Mountain Sage
CRR# 0668-0136



Castle Gray
CRR# 0668-0145



Storm Slate




Cobalt
CRR# 0668-0144

Performance

Matterhorn Metal Roofing is engineered to provide the high performance you expect from a luxury roof.


- Class 4 Impact Resistance
- Class A Fire Resistance
- 130 mph Wind Rating
- 16 CRRC-rated Cool Roof colors, reflect up to 66% of the sun's rays



Cool Roof Technology

Matterhorn's PVDF Tri-Pigment Reflective Technology® paint system offers the ultimate in reflectivity and fade protection. Most Matterhorn colors are CRRC (Cool Roof Rating Council) rated. This means your roof stays cooler and reduces the amount of heat transferred into your home, significantly lowering your energy costs.



A diagram showing the layers of Matterhorn metal roofing. The layers are represented by colored, wavy shapes: a grey layer at the bottom, followed by a blue layer, a green layer, a teal layer, and a dark blue layer at the top. The background is a close-up of the metal roofing panels, showing their texture and the way they are joined.

**Solid
Painted
Back**
Every surface
is covered.

Stronger Than Steel

Matterhorn® metal roofing starts with DDS high-performance G90 steel. Multiple layers of advanced polymer coatings are applied over the metal substrate. These coatings, along with the modern metallic alloys, provide outstanding corrosion resistance. The protective properties of these coatings create a self-healing surface. The result is metal roofing that is quite literally **stronger than steel.**

Each panel is painted with a high-performance Valspar PVDF paint system, specifically engineered for fade resistance to last a lifetime.

Clear Coat

Tri-Pigment Reflective Technology*
Featuring a PVDF Paint System.


Zinc Phosphate

An additional anti-corrosive layer that provides a superior bond for the paint system.

**Thermally Deposited
Anti-Corrosive G90 Coating**

**DDS High-Performance
Steel Alloy**

Engineering Details & Specifications



MATTERHORN TILE

SPECIFICATIONS

- Multi-layer PVDF coating system to resist weathering, aging, rust, and pollution
- 0.019" Thickness
- 98 lbs. per square
- 16 panels per square
- Nominal Dimensions:
 - 20-5/8" w x 48-1/4" L uninstalled
 - 18-3/16" w x 47-1/4" L installed
- Min. Pitch: 3:12

CertainTeed metal roofing products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance

- Complies with ASTM E108 Class A, Class B
(See Manufactures Technical Data Sheets for Specific Systems)

Impact Resistance

- Complies with UL 2218, Class 4

Wind Uplift Resistance

- Warranted to 130 MPH
- UL 1897
- Wind-Driven Rain, AC166 (Sec 4.2)

Solar Reflectance

- 8 CRRC-rated colors

Quality Testing & Approval

- IAPMO Report ID: ER-375
- Texas Dept. of Insurance TDI Report RC-487



MATTERHORN SHAKE

SPECIFICATIONS

- Multi-layer PVDF coating system to resist weathering, aging, rust, and pollution
- 0.016" Thickness
- 96 lbs. per square
- 16 panels per square
- Nominal Dimensions:
 - 22-1/8" w x 47-1/2" L uninstalled
 - 20-1/2" w x 45-7/8" L installed
- Min. Pitch: 3:12

CertainTeed metal roofing products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance

- Complies with ASTM E108 Class A, Class B
(See Manufactures Technical Data Sheets for Specific Systems)

Impact Resistance

- Complies with UL 2218, Class 4

Wind Uplift Resistance

- Warranted to 130 MPH
- UL 1897
- Wind-Driven Rain, AC166 (Sec 4.2)

Solar Reflectance

- 4 CRRC-rated colors

Quality Testing & Approval

- IAPMO Report ID: ER-375
- Texas Dept. of Insurance TDI Report RC-487



MATTERHORN SLATE

SPECIFICATIONS

- Multi-layer PVDF coating system to resist weathering, aging, rust, and pollution
- 0.016" Thickness
- 96 lbs. per square
- 16 panels per square
- Nominal Dimensions:
 - 22-1/8" w x 47-1/2" L uninstalled
 - 20-1/2" w x 45-7/8" L installed
- Min. Pitch: 3:12

CertainTeed metal roofing products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance

- Complies with ASTM E108 Class A, Class B
(See Manufactures Technical Data Sheets for Specific Systems)

Impact Resistance

- Complies with UL 2218, Class 4

Wind Uplift Resistance

- Warranted to 130 MPH
- UL 1897
- Wind-Driven Rain, AC166 (Sec 4.2)

Solar Reflectance

- 4 CRRC-rated colors

Quality Testing & Approval

- IAPMO Report ID: ER-375
- Texas Dept. of Insurance TDI Report RC-487